Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name	e or trade mark:	ClickLight®					
Supplier's addre	ess: -						
Model identifie	r: 560964704978	33					
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	DLS			
Light source cap-type		-					
(or other electri	ic interface)						
Mains or non-mains:		-	Connected light source (CLS):	Não			
Colour-tuneable light source:		Não	Envelope:	-			
High luminance light source:		Não					
Anti-glare shield:		Não	Dimmable:	No			
Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		18	Energy efficiency class	G			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		1 500 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 500			
On-mode power (P _{on}), expressed in W		18,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80			
Outer	Height	225	Spectral power	See image			
dimensions without	Width	225	distribution in the	in last page			
vvitiiout	Depth	28					

Claim of equivalent power ^(a) - If yes, equivalent power (W) Chromaticity 0,384 coordinates (x and y) Parameters for directional light sources: Peak luminous intensity (cd) - Beam angle in degrees, or the range of beam angles that can be set	separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load					
Peak luminous intensity (cd) Peak luminous intensity (cd) - Beam angle in degrees, or the range of beam angles that can be	Claim of equivalent power ^(a)	-	' ' '	-				
Peak luminous intensity (cd) - Beam angle in degrees, or the range of beam angles that can be			Chromaticity	0,384				
Peak luminous intensity (cd) - Beam angle in degrees, or the range of beam angles that can be			coordinates (x and y)	0,379				
degrees, or the range of beam angles that can be	Parameters for directional light sources:							
range of beam angles that can be	Peak luminous intensity (cd)	-	Beam angle in					
angles that can be			degrees, or the					
			range of beam					
set			angles that can be					
			set					
Parameters for LED and OLED light sources:								
R9 colour rendering index value 3 Survival factor -	R9 colour rendering index value	3	Survival factor	-				
the lumen maintenance factor -	the lumen maintenance factor	-						

(a)'_-' : not applicable; (b)'-' : not applicable;

